




Search...


All Categories

Back to previous page | Listed in category: Consumer Electronics > Home Automation > Other Home Automation

You bought this item | View order details



Click to view larger image and other views



Have one to sell? Sell it yourself

12V 2.4G Bluetooth Relay Android Mobile Remote control for Light Switch Lock NET

1 product rating

Item condition: **Brand New**

[Add to watch list](#)

Quantity: 989 available / 171 sold

Price: **US \$13.89**
Approximately
AU \$18.12

[Buy another](#)

[Add to cart](#)

Best Offer:

[Make Offer](#)

229 watching

[Add to watch list](#)

[Add to collection](#)

171 sold

11 inquiries

Free postage

Postage: **FREE** Economy Shipping from China/Hong Kong/Taiwan to worldwide (11 to 35 business days) | [See details](#)

Item location: Guangzhou, China
Posts to: Worldwide [See exclusions](#)

Delivery: Estimated between **Wed. 23 Nov. and Thu. 29 Dec.**

Seller posts within 1 day after [receiving cleared payment](#) .

Payments: **PayPal** | [See payment information](#)

ADD ORIGINALITY TO YOUR CART [Shop now](#)
Consider the PDS before using PayPal.

Returns: 30 day money back, buyer pays return postage | [See details](#)

Guarantee: [details](#) | [See](#)

Get the item you ordered or get your money back.

Seller information

canton-electronic (16134)

99.6% Positive feedback

Follow this seller

Visit store: [RF Wireless Electr...](#)

[See other items](#)



RCD Safety Testing System

Test RCD's up to 180 times quicker! Save time & money install RapidTest

www.rapidtestsystems.com.au

Description

Postage and payments

[Report item](#)

eBay item number: 281213623888

Seller assumes all responsibility for this listing.

Last updated on 19 Jul, 2016 19:01:10 AEST [View all revisions](#)

Item specifics

Condition:	Brand New: A brand-new, unused, unopened, undamaged item in its original packaging (where packaging is ... Read more	Brand:	Canton-electronics
Country/Region of Manufacture:	China	MPN:	CE034_M
UPC:	Does not apply		

RF Wireless Electronics Technology


[Visit my eBay store](#)

Please Contact me for any technical question or after-sale questions . [See all items](#).

[Search Store](#)


[RF Wireless Modules](#) | [Wireless Encode TX & Decode RX](#) | [Wireless Audio Vedio](#) | [Arduino Kit](#)

SALE Items On Sale



Store Categories

- Store home
- Power converter modules
- RF Wireless Modules
- Wireless Antenna
- Wireless Encode TX & Decode RX
- Phone Smart Controller
- MCU Relay Controller
- RFID Wireless Kits
- Wireless Audio Vedio
- Wireless IR Infrared
- Downloader / Programmer
- Arduino Kit
- Development Kits
- Motor
- Camera PCB Board
- Electronic Tools
- Sensor modules
- Signal Generator
- Other



AMIC A7105
Wireless RF 2.4GHz
3.98 USD
Buy It Now
Free shipping




1M RG-178 RG178
SMA Male to SMA Female
4.99 USD
Buy It Now



with Heat shrinkable
USB DC 5V TO 12V
3.99 USD
Buy It Now
Free shipping



YET026 YE002
remote
9.39 USD ~~9.99 USD~~
Buy It Now
Free shipping



3V 3.3V 3.7V 4.2V to
9V DC DC
2.99 USD
Buy It Now
Free shipping




mini 3.3V 3.7V 4.2V to
5V DC DC Stepper Motor driver
2.69 USD ~~2.99 USD~~
Buy It Now
Free shipping

Typical applications:

- Home lighting system
- Remote control switch
- Remote locking
- Smart Home / Home Automation
- DC 12V LED lighting
- Fluorescent lamp
- 12V DC Motor
- Fluorescent lamp
- Automotive electronics
- Industrial automation and control

1 Power supply is DC 6-25V, "LOAD" also DC 6-25V circuit, wiring diagram below.

"LOAD" may be LED lights, fans, motors and other DC 6-25V equipment



DC 6-25V LOAD Wiring Diagram

2 Power supply is DC 6-25V, "LOAD" is DC 1-48V or AC 85-265V circuit, wiring diagram below.

"LOAD" may be LED lights, fans, motors and other DC 1-48V or AC 85-265V equipment



DC 1-48V OR AC 85-265V LOAD Wiring Diagram

3 Power supply is DC5V, "LOAD" is DC 1-48V or AC 85-265V circuit, wiring diagram Below.


"LOAD" may be LED lights, fans, motors and other DC 1-48V or AC 85-265V equipment



4 Power supply is DC 5V, "LOAD" is DC 5V circuit, wiring diagram below.

"LOAD" may be LED lights, fans, mcu Development Boards and other DC 5V equipment

DC 5V LOAD Wiring Diagram





Product Name:12V 2.4G Bluetooth Relay Android Mobile Remote control for Light Switch Lock NET

Module No.: TB302

Package included:

1 PCS DC 5V 12V 24V 1 Ch Android Bluetooth Relay Module






If you need housing, click [here](#), [White](#), [Black](#).

Description:

- 1 Operating voltage: power supply 1, DC 6-25V; power supply 2, DC 5V
- 2 Operating Current: Standby 11mA, Relay Open 45mA (voltage DC 12V)
- 3 Bluetooth V2.1 + EDR, Class 2
- 4 2.4GHz-2.48GHz unlicensed ISM band
- 5 send commands via Android Bluetooth APP control relay turned on and off (we provide Bluetooth APP, you can also use your own APP to control relays, sending commands to control), It can also be triggered by an external pulse signal.
- 6 "Momentary" "Self-locking" "open" "close" 4 Commands
- 7 External trigger input, opto-isolated switch, low pulse inputs.
- 8 size 79 * 47.5 * 20
- 9 Weight : 34g
- 10 Relay Maximum load: 10A/250VAC , 10A/125VAC, 10A /30VDC, 10A /28VDC , 10A /12VDC



Bluetooth relay manual:

NO : Relay normally open contact

COM : Relay common contact

NC : Relay normally closed contact

Momentary : Mobile terminal input "A0", the relay is "open",and after delay of 1 second the relay is "Close".

Self-locking : Mobile terminal input "A1", the relay is "Open", input "A1", the relay is "Close", and on

Open : NO connection COM, NC disconnect COM

Close : NO disconnect COM, NC connection COM

External trigger input: low pulse triggering, pulse width greater than 200 milliseconds.

Two control methods, external trigger signal and Command Control,It can be composed of flexible and diverse control.

Commands (Format: character, case-insensitive)


Commands	Features	Description
A0	"Momentary"	Mobile terminal input "A0", the relay is "open",and after delay of 1 second the relay
A1	" Self-locking "	Mobile terminal input "A1", the relay is "Open", input "A1", the relay is "Close", and
A2	" Open "	NO connection COM, NC disconnect COM
A3	" Close "	NO disconnect COM, NC connection COM
A4	" Open "	NO connection COM, NC disconnect COM


Bluetooth APP operations:



Access Password : 1234


Bluetooth Baud rate: 9600BPS

APP download link : <http://1drv.ms/1GLhMu6>











00000344


powered by
PUSHAUCTION



US Power AC 85 ~ AC 265V PLC Cycle

4.99 USD

0 bids
Free shipping



Buck-Boost 1-6V to 5V DC DC

2.99 USD

Buy It Now
Free shipping



Buck-Boost 1.5V 2.5V 3V 2.5V 3V 3.3V 5V 6V

2.99 USD


Buy It Now
Free shipping



2in1 1.5V 2.5V 3V 3.7V 5V to 3.3V

2.99 USD


Buy It Now
Free shipping



2in1 1.5V 2.5V 3.3V 3.7V 5V to 3V Buck-

2.99 USD

Buy It Now
Free shipping



2in1 Buck-Boost DC Converter 0.9

2.99 USD

Buy It Now
Free shipping



Questions and answers about this item

No questions or answers have been posted about this item.

[Ask a question](#)

Ratings and reviews

[Write a review](#)

4.0

1 product rating

5	0
4	1
3	0
2	0
1	0

100%

Would recommend

100%

Good value

100%

Good quality

Most relevant reviews

by [allsim.ptocrr](#)
17 Mar, 2016

APP for device

The App on the App store for controlling this device was not sent as documentation. Had to end hours trying Apps to get device to work. Then it worked flawlessly.

Verified purchase: Yes | Condition: New | Sold by: 2012moon816



Sponsored Links

[Remote Switch up to 70% off](#)

au.xxl-sale.com/Remote+Switch ▼

Now or never: **Remote** Switch sale. Hurry while stocks last!

- [Great Offers](#) [Only Auctions](#)
- [Free Shipping](#) [Without Auctions](#)

[Electrical smart wiring](#)

www.3dautomationgroup.com/ ▼

Smart home automation Domestic/Commercial Electrical

[Smart Air Con Remote Control - On sale for only \\$99 delivered](#)

www.universalremotecontrols.com.au/ ▼

Control any air conditioner on your iPhone or **Android** with our app and **remote**.

★★★★★ rating for universalremotecontrols.com.au

[Bluetooth Home Automation](#)

www.techtarget.com/ ▼

Stay Current on Server Hardware. Experts Discuss Tips & Trends.

[Bluetooth Home Automation](#)

www.about.com/Bluetooth+Home+Automation ▼

Search for **Bluetooth** Home Automation. Find Expert Advice on About.com.

- [The About.com Story](#) [About.com Home](#)
- [Search About.com](#)

★★★★★ rating for about.com

[TCP-IP Module/64*Relay](#)

www.deditec.de/ETH-Module ▼

16/32/64 switching outputs controllable via Ethernet.

[LAN Relay Controllers](#)


www.sigma-shop.com/ ▼

Ethernet WEB **controlled relay** boards Worldwide Shipping

- [LAN Relays](#) [USB Relays](#)
- [Relay Boards](#) [RS485 Relays](#)

DEALS YOU'LL LOVE ONLY A FEW CLICKS AWAY

[SHOP NOW](#) FREE POSTAGE



[Back to previous page](#)

[Return to top](#)

[About eBay](#)
 [Announcements](#)
 [Community](#)
 [Media Centre](#)
 [Seller Centre](#)
 [Policies](#)
 [Advertise](#)
 [Help & Contact](#)
 [Site Map](#)

Copyright © 1995-2016 eBay Inc. All Rights Reserved. [User Agreement](#), [Privacy](#), [Cookies](#) and [AdChoice](#)

